# SYMPOSIUM Your HEALTH Freedom

#### HOTTEST SPEAKER LINEUP YET



DR. PETER MCCULLOUGH Internist, Cardiologist, Professor of



DR. LARRY PALEVSKY lolistic and Integrative Pediatrician



DR. SHANNON KRONER



DR. JAMES LYONS-WEILER



Physician, Fitness Advocat



DR. PAUL THOMAS diatrician, Author of "The Vaccine



NEIL SCHULTZ
Board Certified Traditional



JARED ST. CLAIR



ANDRE ANGELANTONI
Founder and Project Lead, The
Vaccine Course



Utah Business Revival



BRETT WILCOX

Author and Licensed Professional

www.yourhealthfreedom.org



2021
Your Health Freedom Symposium









### Table 1

### Recommended Child and Adolescent Immunization Schedule for ages 18 years or younger, United States, 2021

These recommendations must be read with the notes that follow. For those who fall behind or start late, provide catch-up vaccination at the earliest opportunity as indicated by the green bars. To determine minimum intervals between doses, see the catch-up schedule (Table 2). School entry and adolescent vaccine age groups are shaded in gray.

Vaccine	Birth	1 mo	2 mos	4 mos	6 mos	9 mos	12 mos	15 mos		19–23 mos		7–10 yrs	11–12 yrs	13–15 yrs	16 yrs	17–18 yrs
Hepatitis B (HepB)	1 <sup>st</sup> dose	<b>◄</b> 2 <sup>nd</sup> (	dose		<b>◄</b>		3 <sup>rd</sup> dose									
Rotavirus (RV): RV1 (2-dose series), RV5 (3-dose series)			1 <sup>st</sup> dose	2 <sup>nd</sup> dose	See Notes											
Diphtheria, tetanus, acellular pertussis (DTaP <7 yrs)			1 <sup>st</sup> dose	2 <sup>nd</sup> dose	3 <sup>rd</sup> dose			<b>◄</b> 4 <sup>th</sup> d	ose <b>&gt;</b>		5 <sup>th</sup> dose					
Haemophilus influenzae type b (Hib)			1 <sup>st</sup> dose	2 <sup>nd</sup> dose	See Notes		3 <sup>rd</sup> or 4 See N	th dose, Notes —								
Pneumococcal conjugate (PCV13)			1 <sup>st</sup> dose	2 <sup>nd</sup> dose	3 <sup>rd</sup> dose		<b>◄ 4</b> <sup>th</sup> (	dose								
Inactivated poliovirus (IPV <18 yrs)			1 <sup>st</sup> dose	2 <sup>nd</sup> dose	<b>4</b>		3 <sup>rd</sup> dose				4 <sup>th</sup> dose					
Influenza (IIV)							A	nnual vacci	nation 1 or	2 doses		_or_	Annual	vaccination	1 dose or	ıly
Influenza (LAIV4)											l vaccinatio r 2 doses		Annual	vaccination	1 dose or	nly
Measles, mumps, rubella (MMR)					See I	Notes	<b>◄</b> 1 <sup>st</sup> C	dose			2 <sup>nd</sup> dose					
Varicella (VAR)							<b>◄</b> 1 <sup>st</sup> C	dose			2 <sup>nd</sup> dose					
Hepatitis A (HepA)					See I	Notes	2	2-dose serie	s, See Note	S						
Tetanus, diphtheria, acellular pertussis (Tdap ≥7 yrs)													Tdap			
Human papillomavirus (HPV)												*	See Notes			
Meningococcal (MenACWY-D ≥9 mos, MenACWY-CRM ≥2 mos,								See Notes					1 <sup>st</sup> dose		2 <sup>nd</sup> dose	

16 diseases35 separate vaccines70+ antigensAdd COVID-19 +++

TOXINS:
Mercury
Aluminum
Formaldehyde
Human fetal cells
Animal cells
Viral contaminants
MSG
Glyphosate
Latex
Neomycin
Polyorbate 80

AND MORE ...





JACK'S STORY


# OUR CHILDREN ARE SICK

- 54% percent of American children are chronically ill
- 13% of America's children are in special education
- One in six children has a developmental disorder
- Millions suffer from allergies including deadly peanut allergies
- Almost 11% have attention deficit hyperactivity disorder (ADHD)
- 15,000 or more children were diagnosed with cancer this year alone
- One in 59 has autism
- There is an epidemic of autoimmune illnesses like rheumatoid arthritis and psoriasis
- Still other children suffer from debilitating anxiety, Tourette's, and sensory issues.
- Infant mortality (SIDS, etc.) in America is much higher than in other highincome countries while infants receive more vaccines in their first year of life than anywhere in the world.

REF: https://childrenshealthdefense.org/campaign-restore-child-health/?itm\_term=home

### AUTHORS JENNIFER MARGULIS & PAUL THOMAS








Contents lists available at ScienceDirect

#### Journal of Trace Elements in Medicine and Biology

journal homepage: www.elsevier.com/locate/jtemb



#### Toxicology


Acute exposure and chronic retention of aluminum in three vaccine schedules and effects of genetic and environmental variation




Grant McFarland<sup>a</sup>, Elaine La Joie<sup>a</sup>, Paul Thomas<sup>b</sup>, James Lyons-Weiler<sup>a,\*</sup>

<sup>&</sup>lt;sup>a</sup> The Institute for Pure and Applied Knowledge, Pittsburgh, PA, 15101, United States

<sup>&</sup>lt;sup>b</sup> Integrative Pediatrics, Portland, OR, 97225, United States





# WHATWE NEEDED WAS DATA

VAXXED VS UNVAXXED STUDIES

#### Journal of Translational Science



#### Research Article

ISSN: 2059-268X

## Pilot comparative study on the health of vaccinated and unvaccinated 6- to 12-year-old U.S. children

Anthony R Mawson<sup>10</sup>, Brian D Ray<sup>2</sup>, Azad R Bhuiyan<sup>3</sup> and Binu Jacob<sup>4</sup>

Professor, Department of Epidemiology and Biostatistics, School of Public Health, Jackson State University, Jackson, MS 39213, USA

<sup>2</sup>President, National Home Education Research Institute, PO Box 13939, Salem, OR 97309, USA

<sup>3</sup>Associate Professor, Department of Epidemiology and Biostatistics, School of Public Health, Jackson State University, Jackson, MS 39213, USA


4Former graduate student, Department of Epidemiology and Biostatistics School of Public Health, Jackson State University, Jackson, MS 39213, USA

#### Abstract

Vaccinations have prevented millions of infectious illnesses, hospitalizations and deaths among U.S. children, yet the long-term health outcomes of the vaccination

### VAXXED - UNVAXXED

 Relative rates of medical conditions for vaccinated children when compared to unvaccinated children. A new groundbreaking survey of hundreds of homeschooled American children found that, compared to the UNVACCINATED children, the VACCINATED children had higher odds of developing the following conditions.



# Analysis of health outcomes in vaccinated and unvaccinated children: Developmental delays, asthma, ear infections and gastrointestinal disorders

SAGE Open Medicine
Volume 8: I-II
© The Author(s) 2020
Article reuse guidelines:
sagepub.com/journals-permissions
DOI: 10.1177/2050312120925344
journals.sagepub.com/home/smo

**\$**SAGE

Brian S Hooker<sup>1</sup> and Neil Z Miller<sup>2</sup>

https://journals.sagepub.com/doi/pdf/10.1177/2050312120925344

#### **Abstract**

Objective: The aim of this study was to compare the health of vaccinated versus unvaccinated pediatric populations.

Methods: Using data from three medical practices in the United States with children born between November 2005 and June 2015, vaccinated children were compared to unvaccinated children during the first year of life for later incidence of developmental delays, asthma, ear infections and gastrointestinal disorders. All diagnoses utilized International Classification of Diseases–9 and International Classification of Diseases–10 codes through medical chart review. Subjects were a minimum of 3 years of age, stratified based on medical practice, year of birth and gender and compared using a logistic regression model. Results: Vaccination before I year of age was associated with increased odds of developmental delays (OR=2.18, 95% CI 1.47–3.24), asthma (OR=4.49, 95% CI 2.04–9.88) and ear infections (OR=2.13, 95% CI 1.63–2.78). In a quartile analysis, subjects were grouped by number of vaccine doses received in the first year of life. Higher odds ratios were observed in Quartiles 3 and 4 (where more vaccine doses were received) for all four health conditions considered, as compared to Quartile I. In a temporal analysis, developmental delays showed a linear increase as the age cut-offs increased from 6 to 12 to 18 to 24 months of age (ORs=1.95, 2.18, 2.92 and 3.51, respectively). Slightly higher ORs were also observed for all four health conditions when time permitted for a diagnosis was extended from ≥ 3 years of age to ≥ 5 years of age.

**Conclusion:** In this study, which only allowed for the calculation of unadjusted observational associations, higher ORs were observed within the vaccinated versus unvaccinated group for developmental delays, asthma and ear infections. Further study is necessary to understand the full spectrum of health effects associated with childhood vaccination.

Diagnosis	Vaccinated Cases/Total	Unvaccinated Cases/Total	Odds Ratio (95% CI)	P-value
Developmental Delay	153/1407 (10.9%)	34/630 (5.4%)	2.18 (1.47 – 3.24)	0.0001
Asthma	67/1412 (4.7%)	7/629 (1.1%)	4.49 (2.04 - 9.88)	0.0002
Ear Infection	324/1116 (29.0%)	104/533 (19.5%)	2.13 (1.63 - 2.78)	<0.0001
Gastrointestinal Disorder	55/1382 (4.0%)	18/619 (2.9%)	1.47 (0.84 - 2.57)	0.17
Head Injury	93/1398 (6.7%)	31/627 (4.9%)	1.26 (0.82 - 1.94)	0.29

# HEALTH OUTCOMES OF VACCINATED VERSUS UNVACCINATED CHILDREN BRIAN HOOKER & NIEL MILLER

FEBRUARY 2019 QA DATA SET CREATED TO RESPOND TO OMB REQUEST FOR PROOF THE VACCINE-FRIENDLY PLAN WAS AS SAFE AS CDC SCHEDULE!

DATA WAS DE-IDENTIFIED,

**IRB-APPROVED** 

8

BECAME THE VAXXED -UNVAXXED STUDY





Article

# Relative Incidence of Office Visits and Cumulative Rates of Billed Diagnoses Along the Axis of Vaccination


#### James Lyons-Weiler 1,\* and Paul Thomas 2

- The Institute for Pure and Applied Knowledge, Pittsburgh, PA 15101, USA
- <sup>2</sup> Integrative Pediatrics, Portland, OR 97225, USA; paulthomasmd@drpaul.md
- \* Correspondence: jim@ipaknowledge.org

Received: 23 October 2020; Accepted: 18 November 2020; Published: 22 November 2020




Abstract: We performed a retrospective analysis spanning ten years of pediatric practice focused




**Number of Vaccinations** 


## ■ Wellness Check ■ Fever





**Percentile Vaccine Acceptance** 


## CUMULATIVE OFFICE VISITS IN **VACCINATED** (ORANGE) UNVAXXED (BLUE)



















































# WHAT WAS THE RESPONSE TO THE PUBLICATION OF THIS LANDMARK STUDY?


OREGON MEDICAL BOARD ISSUES AN EMERGENCY SUSPENSION OF DR PAUL THOMAS'S LICENSE TO PRACTICE MEDICINE.



# BEFORE THE OREGON MEDICAL BOARD STATE OF OREGON

In the Matter of	)	
PAUL NORMAN THOMAS, MD	Ś	ORDER OF EMERGENCY
LICENSE NO. MD15689	)	SUSPENSION
	)	

By order of the Oregon Medical Board, the license of Paul Norman Thomas, MD to practice medicine is hereby suspended, effective December 3, 2020, at 5:15 p.m. Pacific Time. As of this date and time, Licensee must stop practicing medicine until further order of the Board.







Retraction

# Retraction: Lyons-Weiler, J. and Thomas, P. Relative Incidence of Office Visits and Cumulative Rates of Billed Diagnoses Along the Axis of Vaccination. *Int. J. Environ. Res. Public Health* 2020, 17, 8674

James Lyons-Weiler 1,\* and Paul Thomas 2

- <sup>1</sup> The Institute for Pure and Applied Knowledge, Pittsburgh, PA 15101, USA
- <sup>2</sup> Integrative Pediatrics, Portland, OR 97225, USA; paulthomasmd@drpaul.md
- \* Correspondence: jim@ipaknowledge.org

The journal retracts the article "Relative Incidence of Office Visits and Cumulative Rates of Billed Diagnoses along the Axis of Vaccination" cited above [1]. Following publication, concerns were brought to the attention of the editorial office regarding the validity of the conclusions of the published research.

Adhering to our complaints procedure, an investigation was conducted that raised several methodological issues and confirmed that the conclusions were not supported by strong scientific data. The article is therefore retracted.

This retraction is approved by the Editor in Chief of the journal.

The authors did not agree to this retraction.

**Citation:** Lyons-Weiler, J.; Thomas, P. Retraction: Lyons-Weiler, J. and

International Journal of Vaccine Theory, Practice, and Research

# IJYTPR

Vaccine Practice Payment Schedules Create Perverse Incentives for Unnecessary Medical Procedures – at What Cost to Patients?

James Lyons-Weiler, PhD<sup>1</sup> and Paul Thomas, MD<sup>2</sup>



# THE CONTROL GROUP

HEALTH FREEDOM LITIGATORS

Greg Glaser & Ray Flores

# THE CONTROL GROUP + 5000 PAGES SHOWING VACCINES ARE DESTROYING PUBLIC HEALTH -SUBMITTED TO SUPREME COURT

From Greg Glaser:

Joy and I filed our Supreme Court brief today:

https://informedconsentdefense.files.w ordpress.com/2021/08/scotus-brieftcg-august-26-2021-final.pdf

August 26th 2021

# THE COUNT: HOW MANY ENTIRELY UNVACCINATED "CONTROLS" IN THE USA?

OVER 99.74% OF AMERICANS ALIVE IN 2020 HAD BEEN EXPOSED TO VACCINES.

THAT LEAVES 0.26% UNVACCINATED


### THE CONTROL GROUP!

NUMBER OF AMERICAN STATES SURVEYED: 48

A TOTAL OF 1,482 QUALIFIED (UNVACCINATED POST-BIRTH) PARTIES WERE SURVEYED. THE ONLY TWO (2) STATES THAT WERE NOT SURVEYED, WERE IOWA AND MISSISSIPPI.

TOTAL SURVEYED (ALL COUNTRIES SAMPLED): 1,544

# **VACCINATED** - VS- UNVACCINATED





#### **Unvaccinated Population**

Risk Factor in Total Population = 5.97%

#### Subsets - Chronic Conditions

Δ

13.32% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)





2.25% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

Risk Factor in Total Population = 0.94%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of chronic illness in America. Specifically, the odds that this large control group of unvaccinated children (as featured on this chart) would be exponentially healthier than vaccinated children by mere chance: 1 in 166,208,057,027,308,000,000,000. This calculation is supported by the p-value 6.02E-24. See full report for

# VACCINATED -VS- UNVACCINATED







#### Unvaccinated Population

Risk Factor in Total Population = 5.71%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of chronic illness in America. Specifically, the odds that this large control group of unvaccinated adults (as featured on this chart) would be exponentially healthier than vaccinated adults by mere chance: 1 in 245,083,100,778,672,000,000,000,000,000,000,000,000,000. This calculation is supported by the p-value 4.08E-63. See full report for detailed explanation.

#### Subsets - Chronic Conditions

12.50% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)

4.49% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

Risk Factors in Total Population = 0.95%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of chronic illness in America. Specifically, the odds that this large control group of unvaccinated adults (as featured on this chart) would be exponentially healthier than vaccinated adults by mere chance: 1 in 4,105,862,277,50 calculation is supported by the p-value 2.44E-46. See full report for detailed explanation.

#### Subsets - 2 Chronic Conditions




3.13% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)



0.56% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

# VACCINATED -VS- UNVACCINATED






#### **Unvaccinated Population**

Risk Factor in Total Population = 0.00%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of arthritis in America. Specifically, the odds that this large control group of unvaccinated people (as featured on this chart) would be exponentially healthier than vaccinated people by mere chance: 1 in 42,826,227,194,256,900. This calculation is supported by the p-value 2.34E-17. See full report for detailed explanation.

# **VACCINATED** -VS- UNVACCINATED






#### **Unvaccinated Population**

Risk Factor in Total Population = 0.0%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of heart disease in America. Specifically, the odds that this large control group of unvaccinated adults (as featured on this chart) would be exponentially healthier than vaccinated adults by mere chance: infinite / incalculable. This calculation is supported by an infinitesimal p-value. See full report for detailed explanation.

"The cure cannot be worse than the problem itself."

# **VACCINATED** -VS- UNVACCINATED






#### **Unvaccinated Population**

Risk Factor in Total Population = 0.0%

# **VACCINATED** -VS- UNVACCINATED





#### **Unvaccinated Population**

Risk Factor in Total Population = 0.40%

#### Subsets




1.09% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)



 0.12% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

### VACCINATED -VS- UNVACCINATED





#### **Unvaccinated Population**

Risk Factor in Total Population, Children = 1.49%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of eczema in America. Specifically, the odds that this large control group of unvaccinated children (as featured on this chart) would be exponentially healthier than vaccinated children by mere chance: 1 in 133,383,762,863,829,00 0,000,000,000,000,000,000.000. This calculation is supported by the p-value 7.506-39. See full report for detailed explanation.

#### Subsets


3.27% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)

 0.36% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

Risk Factor in Total Population, Adults = .95%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of eczema in America. Specifically, the odds that this large control group of unvaccinated adults (as featured on this chart) would be exponentially healthier than vaccinated adults by mere chance: 1 in 43,711. This calculation is

#### **VACCINATED** -VS- **UNVACCINATED**



"The cure cannot be worse than the problem itself." - President Donald J. Trump, October 22, 2020, Presidential Debate



- U.S. National data for approximately 99%+ Vaccinated Population (CDC, Asthma. https://www.cdc.gov/asthma/most\_recent\_national\_asthma\_data.htm)
- Pilot survey data for 100% Unvaccinated Control Group



#### **Unvaccinated Population**

Risk Factor in Total Population, Children = 0.71%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of asthma in America. Specifically, the odds that this large control group of unvaccinated children (as featured on this chart) would be exponentially healthier than vaccinated children by mere chance: 1 in 3,017,587,0 25,023,760,000,000,000,000,000. This calculation is supported by the p-value 3.31E-31. See full report for detailed explanation.

#### Subsets

1.64% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)




 0.24% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

Risk Factor in Total Population, Adults = 0.00%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of asthma in America. Specifically, the odds that this large control group of unvaccinated adults (as featured on this chart) would be exponentially healthier than vaccinated adults by mere chance: 1 in 20,306,860. This calculation is supported by the p-value 4.92E-08. See full report for detailed explanation.

<sup>\*</sup>Total survey produced 99% Confidence Interval [5.95,5.99] without finite population correction. Please see full report for all sample rates, equations, values, and methodology.

#### **VACCINATED** -VS- **UNVACCINATED**



#### "The cure cannot be worse than the problem itself."

- President Donald J. Trump, October 22, 2020, Presidential Debate
- U.S. National data for approximately 99%+ Vaccinated Population (CDC, Summary Health Statistics: National Health Interview Survey, 2018. https://ftp.odc.gov/pub/Health\_Statistics/NCHS/NHIS/SHS/2018\_SHS\_Table\_C-2.pdf)
- Pilot survey data for 100% Unvaccinated Control Group
- Unvaccinated but exposed to K-shot and/or maternal vaccination
- ▲ Unvaccinated and unexposed to K-shot and maternal vaccination



#### **Unvaccinated Population**

Risk Factor in Total Population = 1.10%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of food allergy in America. Specifically, the odds that this large control group of unvaccinated children (as featured on this chart) would be exponentially healthier than vaccinated children by mere chance: 1 in 592,075,437,482,422,000,000. This calculation is supported by the p-value 1.69E-21. See full report for detailed explanation.

1.87% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)




▲ 0.71% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

\*Total survey produced 99% Confidence Interval [5.95,5.99] without finite population correction. Please see full report for all sample rates, equations, values, and methodology.



#### **VACCINATED** -VS- **UNVACCINATED**



#### "The cure cannot be worse than the problem itself."

- President Donald J. Trump, October 22, 2020, Presidential Debate
- U.S. National data for approximately 99%+ Vaccinated Population (CDC, NCHS Data Brief No. 291. https://www.cdc.gov/nchs/products/databriefs/db201.htm)
- Pilot survey data for 100% Unvaccinated Control Group
  - Unvaccinated but exposed to K-shot and/or maternal vaccination
  - ▲ Unvaccinated and unexposed to K-shot and maternal vaccination



#### **Unvaccinated Population**

Risk Factor in Total Population = 1.24%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of developmental disabilities in America. Specifically, the odds that this large control group of unvaccinated children age 3-17 (as featured on this chart) would be exponentially healthier than vaccinated children age 3-17 by mere chance: 1 in 53,393,538,932,590,800. This calculation is supported by the p-value 1.87E-17. See full report for detailed explanation.

#### Subsets


 2.97% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)

 0.32% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

"Total survey produced 99% Confidence Interval [5.95,5.99] without finite population correction. Please see full report for all sample rates, equations, values, and methodology.



# **VACCINATED** -VS- UNVACCINATED





#### **Unvaccinated Population**

Risk Factor in Total Population = 0.07%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of epilepsy in America. Specifically, the odds that this large control group of unvaccinated people (as featured on this chart) would be exponentially healthier than vaccinated people by mere chance: 1 in 3,100,663. This calculation is supported by the p-value 3.23E-07. See full report for detailed explanation.

#### Subsets


Δ

0.22% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)



 0.00% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

# VACCINATED -VS- UNVACCINATED





#### **Unvaccinated Population**

Risk Factor in Total Population = 0.21%


This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of autism in America. Specifically, the odds that this large control group of unvaccinated children (as featured on this chart) would be exponentially healthier than vaccinated children by mere chance: 1 in 128,902,754. This calculation is supported by the p-value 7.76E-09. See full report for detailed explanation.

#### Subsets

 0.59% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)

0.00% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

#### **VACCINATED** -VS- **UNVACCINATED**



#### "The cure cannot be worse than the problem itself."

- President Donald J. Trump, October 22, 2020, Presidential Debate
- U.S. National data for approximately 99%+ Vaccinated Population Population (CDC, Attention-Deficit / Hyperactivity Disorder (ADHD), https://www.cdc.gov/ ncbddd/adhd/data.html; NiMH, Attention-Deficit/Hyperactivity Disorder (ADHD), https:// www.minh.nih.gov/health/statistics/attention-deficit-Hyperactivity-disorder-adhd.shtml)
- Pilot survey data for 100% Unvaccinated Control Group
- Unvaccinated but exposed to K-shot and/or maternal vaccination
- Unvaccinated and unexposed to K-shot and maternal vaccination



#### **Unvaccinated Population**

Risk Factor in Total Population, Children = 0.47%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of ADHD in America. Specifically, the odds that this large control group of unvaccinated children (as featured on this chart) would be exponentially healthier than vaccinated children by mere chance: 1in 449,104,622, 125,953,000,000,000,000,000,000,000,000,000.

This calculation is supported by the p-value 2.23E-45. See full report for detailed explanation.

#### Subsets


- 0.47% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)
- 0.47% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)
- Risk Factor in Total Population, Adults = 0.00%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of ADHD in America. Specifically, the odds that this large control group of unvaccinated adults (as featured on this chart) would be exponentially healthier than vaccinated adults by mere chance: 1 in 12,701. This calculation is supported by the p-value 787E-05. See full report for detailed explanation.

"Total survey produced 99% Confidence Interval [5.95,5.99] without finite population correction. Please see full report for all sample rates, equations, values, and methodology.



#### **VACCINATED** -VS- **UNVACCINATED**



#### "The cure cannot be worse than the problem itself."

- President Donald J. Trump, October 22, 2020, Presidential Debate
- U.S. National data for approximately 99%+ Vaccinated Population (Prevalence of Learning Disabilities in Mental Disorders and Disabilities Among Low-Income Children. Boat TF, Wu JT, eds. Washington (DC): National Academies Press (US); 2015. https://www.ncbi.nlm.nih.gov/books/NBK332880)
- Pilot survey data for 100% Unvaccinated Control Group
  - Unvaccinated but exposed to K-shot and/or maternal vaccination.
  - Unvaccinated and unexposed to K-shot and maternal vaccination



#### **Unvaccinated Population**

Risk Factor in Total Population = 0.72%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of learning disabilities in America. Specifically, the odds that this large control group of unvaccinated children (as featured on this chart) would be exponentially healthier than vaccinated children by mere chance: 1 in 16,537,382,528,756,600,000,000,000 This calculation is supported by the p-value 6.05E-26. See full report for detailed explanation.

#### Subsets


- 1.48% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)

 0.32% (risk factor within the subset group) unexposed to the K-shot and pregnancy vaccination)



"Total survey produced 99% Confidence Interval [5,95,5,99] without finite population correction. Please see full report for all sample rates, equations, values, and methodology.

# **VACCINATED** -VS- UNVACCINATED





#### Unvaccinated Population

Risk Factor in Total Population = 0.52%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of speech disorders in America. Specifically, the odds that this large control group of unvaccinated children (as featured on this chart) would be exponentially healthier than vaccinated children by mere chance: 1 in 1,115,522,286,215,680. This calculation is supported by the p-value 8.96E-16. See full report for detailed explanation.

#### Subsets




1.48% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)



0.00% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

## VACCINATED -vs- UNVACCINATED






#### **Unvaccinated Population**


Risk Factor in Total Population = 0.10%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of OME in America. Specifically, the odds that this large control group of unvaccinated children (as featured on this chart) would be exponentially healthier than vaccinated children by mere chance: infinite / incalculable. This calculation is supported by an infinitesimal p-value. See full report for detailed explanation.


#### Subsets



0.29% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)



# **VACCINATED** -VS- **UNVACCINATED**





#### **Unvaccinated Population**

Risk Factor in Total Population = 0.07%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of chronic sinusitus in America. Specifically, the odds that this large control group of unvaccinated people (as featured on this chart) would be exponentially healthier than vaccinated people by mere chance: 1 in 1,492,731,523,722,410,000, 00,000,000,000,000,000,000,000,000,000,000 0,000,000,000,000,000,000. This calculation is supported by the p-value 6.70E-100. See full report for detailed explanation.

#### Subsets




0.22% (risk factor within the subset group that received the K-shot and/or pregnancy vaccination)



0.00% (risk factor within the subset group unexposed to the K-shot and pregnancy vaccination)

# **VACCINATED** -VS- UNVACCINATED






#### **Unvaccinated Population**

Risk Factor in Total Population = 0.00%

## VACCINATED -VS- UNVACCINATED





#### **Unvaccinated Population**

Risk Factor in Total Population, Adults = 0.00%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of cancer in America. Specifically, the odds that this large control group of unvaccinated adults (as featured on this chart) would be exponentially healthier than vaccinated adults by mere chance: 1 in 439,694. This calculation is supported by the p-value 2.27E-06. See full report for detailed

Risk Factor in Total Population, Children = 0.00%

This pilot survey provides numerical proof that vaccines are causing an exponential increased risk of cancer in America. Specifically, the odds that this large control group of unvaccinated children (as featured on this chart) would be exponentially healthier than vaccinated children by mere chance: 1 in 86. This calculation is supported by the p-value 1.16E-02. See full report for detailed explanation.



How do we Respond?

# HOW TO COMMUNICATE EFFECTIVELY OVERCOMING DEFENSIVENESS DEEDEE HOOVER

How do we share what we know in a way it can be heard and understood?









# HOW TO SUPPORT DR PAUL'S WORK

Support legal fund Freedom To Choose:

FTC.DPApproved.com

AGAINST THE WIND: Doctors and Science Under Fire

<u>Doctorsandscience.com</u>



### HOW TO RESIST AN EMPLOYER MANDATE

https://drive.google.com/drive/folders/1hIJS1ce-2wvUni3s9SSbwDNrBm-xvqVP

Thanks Dr. Henry Ealy.

# The HARTHA HERBERT, M.D., Ph.D., assistant professor of neurology, Harvard Medical School Vaccine Friendly Plan Plan Plan

"A valuable, science-supported guide

Dr. Paul's Safe and Effective Approach to Immunity and Health—
from Pregnancy Through Your Child's Teen Years



Paul Thomas, M.D., and Jennifer Margulis, Ph.D.

# Best Seller on AMAZON

Available Everywhere Books Are sold

100,000 Copies Sold

You can get a signed copy before you leave